This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

shenotype sexual loster on

Three new compds., terrestribisamide (I), 25R-spirost-4-en-3,12-dione (II), and tribulusterine (III), together with other known compds., N-p-coumaroyltyramine, terrestriamide, hecogenin, aurantiamide acetate, xanthosine, ferulic acid, vanillin, p-hydroxybenzoic acid, and .beta.-sitosterol, were isolated and characterized from dried fruits of Tribulus terrestris. Structures of the new compds. were detd. by spectral anal. ST terrestribisamide alkaloid isolation structure Tribulus terrestris; tribulusterine alkaloid isolation structure Tribulus terrestris; spirostendione alkaloid isolation structure Tribulus terrestris; mol structure terrestribisamide tribulusterine isolation Tribulus; configuration terrestribisamide tribulusterine isolation Tribulus IT Tribulus terrestris (isolation and mol. structure of alkaloids, terrestribisamide, 25R-spirost-4-en-3,12-dione and tribulusterine, and other constituents from Tribulus terrestris) IT Alkaloids, biological studies RL: BOC (Biological occurrence); BSU (Biological study, unclassified); PRP (Properties); PUR (Purification or recovery); BIOL (Biological study); OCCU (Occurrence); PREP (Preparation) (isolation and mol. structure of alkaloids, terrestribisamide, 25R-spirost-4-en-3,12-dione and tribulusterine, and other constituents from Tribulus terrestris) TT Configuration Molecular structure (of terrestribisamide, 25R-spirost-4-en-3,12-dione and tribulusterine, alkaloids from Tribulus terrestris) IT New natural products (terrestribisamide (alkaloid)) IT New natural products (tribulusterine (alkaloid)) IT 6875-60-1P, (-)-(25R)-Spirost-4-ene-3,12-dione 91000-13-4P 234750-74-4P, Tribulusterine RL: BOC (Biological occurrence); BSU (Biological study, unclassified); PRP (Properties); PUR (Purification or recovery); BIOL (Biological study); OCCU (Occurrence); PREP (Preparation) (isolation and mol. structure of alkaloids, terrestribisamide, 25R-spirost-4-en-3,12-dione and tribulusterine, and other constituents from Tribulus terrestris) IT 83-46-5P, .beta.-Sitosterol 99-96-7P, p-Hydroxybenzoic acid, biological studies 121-33-5P, Vanillin 146-80-5P, Xanthosine 467-55-0P, Hecogenin 1135-24-6P, Ferulic acid 20375-37-5P, N-p-Coumaroyltyramine 56121-42-7P, Aurantiamide acetate 157536-49-7P, Terrestriamide RL: BOC (Biological occurrence); BSU (Biological study, unclassified); PUR (Purification or recovery); BIOL (Biological study); OCCU (Occurrence); PREP (Preparation) (isolation and mol. structure of alkaloids, terrestribisamide, 25R-spirost-4-en-3,12-dione and tribulusterine, and other constituents from Tribulus terrestris) RE.CNT THERE ARE 33 CITED REFERENCES AVAILABLE FOR THIS RECORD

- (1) Agarwal, P; Phytochemistry 1985, V24, P2479
- (2) Anon; 1977 CAPLUS
- (3) Anon; 1979 CAPLUS
- (4) Anon; 1982 CAPLUS

- (5) Anon; 1986 CAPLUS
- (6) Anon; 1989 CAPLUS
- (7) Banerji, A; Indian Journal of Chemistry 1975, V13, P1234 CAPLUS
- (8) Bose, B; Indian Journal of Medical Sciences 1963, V17, P291 CAPLUS
- (9) Britmaier, E; 13CNMR Spectroscopy Methods and Application in Organic Chemistry, 2nd Edn 1978, P272
- (10) Chiang Su New Medicinal College; Dictionary of Chinese Crude Drugs 1977, P1274
- (11) Chiu, N; The Illustrated Medicinal Plants of Taiwan 1986, V3, P118
- (12) David, N; Journal of Chemical Society Perkin Transactions II 1990, P1567
- (13) Domingaez, X; Planta Medica 1985, V51(6), P534
- (14) Duan, J; Zhongcaoyao 1993, V24, P320 CAPLUS
- (15) Jeffroys, J; Journal of Chemical Society (C) 1970, P1091
- (16) Jit, S; Indian Journal of Pharmaceutical Sciences 1985, V47, P101 CAPLUS
- (17) Mahato, B; Journal of Institution and Chemists 1978, V50, P49 CAPLUS
- (18) Mahato, S; Journal of Chemical Society Perkin Transactions I 1981, P2405 CAPLUS
- (19) Mahato, S; Journal of Chemical Society Perkin Transactions I 1981, P2405 CAPLUS
- (20) Mathur, G; Food Farming Agric 1977, V9, P11
- (21) Nag, T; Comparative Physicology and Ecology 1979, V4, P157 CAPLUS
- (22) Okuyma, T; Planta Medica 1986, V53(3), P171
- (23) Perepelitsa, E; Khimiya Prirodnykh Soedinenii 1975, V11, P260 CAPLUS
- (24) Ren, Y; Acta Pharmaceutica Sinica 1994, V29, P204 CAPLUS
- (25) Saleh, N; Biochemical Systematics and Ecology 1982, V5, P121 CAPLUS
- (26) Saleh, N; Phytochemistry 1982, V21, P1995 CAPLUS
- (27) Sharma, H; Chemical Era 1977, V13, P261 CAPLUS
- (28) Tomova, M; Farmastiya 1987, V37, P40 CAPLUS
- (29) Tomova, M; International Conference on Chemistry and Biotechnology of Biologically Active Natural Products 1981, V3, P289 CAPLUS
- (30) Vasi, I; Comparative Physiology and Ecology 1982, V7, P68 CAPLUS
- (31) Wu, T; Phytochemistry 1995, V40, P121 CAPLUS
- (32) Xie, Z; Dictionary of Traditional Chinese Medicine 1988, P205
- (33) Zafar, R; Indian Drugs 1989, V26, P460 CAPLUS

=> d all 1

L9 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2003 ACS

AN 1999:314287 CAPLUS

DN 131:127594

TI Alkaloids and other constituents from Tribulus terrestris

AU Wu, Tian-Shung; Shi, Li-Shian; Kuo, Shang-Chu

CS Department of Chemistry, National Cheng Kung University, Tainan, Taiwan

SO Phytochemistry (1999), 50(8), 1411-1415

CODEN: PYTCAS; ISSN: 0031-9422 Elsevier Science Ltd.

PB Elsevie: DT Journal

LA English

CC 11-1 (Plant Biochemistry)

Section cross-reference(s): 22, 31

GI

AB Three new compds., terrestribisamide (I), 25R-spirost-4-en-3,12-dione (II), and tribulusterine (III), together with other known compds., N-p-coumaroyltyramine, terrestriamide, hecogenin, aurantiamide acetate, xanthosine, ferulic acid, vanillin, p-hydroxybenzoic acid, and .beta.-sitosterol, were isolated and characterized from dried fruits of Tribulus terrestris. Structures of the new compds. were detd. by spectral

anal.

ST terrestribisamide alkaloid isolation structure Tribulus terrestris; tribulusterine alkaloid isolation structure Tribulus terrestris; spirostendione alkaloid isolation structure Tribulus terrestris; mol structure terrestribisamide tribulusterine isolation Tribulus; configuration terrestribisamide tribulusterine isolation Tribulus

IT Tribulus terrestris

(isolation and mol. structure o

structure terrestribisamide tribulusterine isolation Tribulus; configuration terrestribisamide tribulusterine isolation Tribulus Tribulus terrestris IT(isolation and mol. structure of alkaloids, terrestribisamide, 25R-spirost-4-en-3,12-dione and tribulusterine, and other constituents from Tribulus terrestris) ITAlkaloids, biological studies RL: BOC (Biological occurrence); BSU (Biological study, unclassified); PRP (Properties); PUR (Purification or recovery); BIOL (Biological study); OCCU (Occurrence); PREP (Preparation) (isolation and mol. structure of alkaloids, terrestribisamide, 25R-spirost-4-en-3,12-dione and tribulusterine, and other constituents from Tribulus terrestris)

L5 ANSWER 5 OF 5 WPIDS (C) 2003 THOMSON DERWENT

ACCESSION NUMBER: 1985-049835 [08] WPIDS

DOC. NO. CPI:

C1985-021749

TITLE:

Nutritionally complete liquid diet - comprises protein, lipid, carbohydrate, vitamin(s), minerals, stabiliser

and

acid in water.

DERWENT CLASS:

B05 D13

INVENTOR(S): PATENT ASSIGNEE(S): LARSON, D M; REYES, J

(MEAD) MEAD JOHNSON & CO

COUNTRY COUNT:

PATENT INFORMATION:

PA	TENT NO	KIND	DATE	WEEK	LA	PG
						
US	4497800	Α	19850205	(198508)*	r	6

APPLICATION DETAILS:

PATENT NO	KIND	APPLICATION	DATE
			,
US 4497800	Α	US 1982-395515	19820706

PRIORITY APPLN. INFO: US 1982-395515 19820706

=> d his

(FILE 'HOME' ENTERED AT 15:56:04 ON 18 MAR 2003)

FILE 'EUROPATFULL, PCTFULL, USPAT2, WPIDS' ENTERED AT 15:56:24 ON 18 MAR 2003

L1 1 S US20020068728/PN

FILE 'INPADOC' ENTERED AT 15:57:08 ON 18 MAR 2003

L2 1 S L1

L3 1 S US20020068728/PN

FILE 'EUROPATFULL, PCTFULL, USPAT2, WPIDS' ENTERED AT 15:58:51 ON 18 MAR 2003

E REYES J/IN

L4 25 S E3-E12

L5 5 S L4 AND COMPOSITION

=> s 14 and (libido or impotent or erect?)

L6 1 L4 AND (LIBIDO OR IMPOTENT OR ERECT?)

centuries by Brazilian natives for virility enhancement, sexual stimulation, and stress management.*

RESEARCH BRIEF:

Sexual intercourse is nature's way of passing genetic material from one generation to the next, but sex also plays an important role in the emotional closeness and relationship health of couples. For both genders, the sex act unfolds through a process of erection, lubrication, and sexual orgasm.

Female reproductive organs include the ovaries, uterine (Fallopian) tubes, uterus, vagina, vulva, and mammary glands. Psychic or tactile stimulation causes female sexual erection as muscles relax and blood flow increases to the genital area. Females provide the majority of lubrication during sexual intercourse, and female orgasm involves muscle contractions that aid the journey of the sperm. As females age, production of progesterone and estrogen slows, fertility gradually decreases until it stops at menopause, and sexual lubrication and tissue elasticity can decrease. Common female sexual complaints include pain or spasms during intercourse, total inability to reach orgasm, and lack of sexual arousal.

Male reproductive structures include the testes, ductus epididymis, ductus (vas) deferens, ejaculatory duct, urethra, seminal vesicles, prostate gland, bulbourethral (Cowper's) glands, and penis. The male erection can be triggered by anticipation, memory, visual sensation, or direct stimulation. For erection to occur, the arteries of the penis must dilate so blood can distend the organ. Males provide minimal lubrication during sexual intercourse, but male orgasm involves the mixture and ejaculation of a complex fluid that contains sperm. As males age, testosterone levels gradually decline, resulting in less muscle strength, fewer viable sperm, and decreased sexual desire. Common male sexual complaints include difficulties starting or maintaining an erection, ejaculating too soon, inability to ejaculate, and loss of sex drive.

Scientific literature related to the ingredients of ArginMax®

SOURCES:

Auguent M, et al. Pharmacological bases of the vascular impact of ginkgo biloba extract. *Presse Med.* 1986;15(31):1524–28.

Berman J, et al. Anatomy and physiology of female sexual function and dysfunction. *European Urology.* 2000;38(1):20–29.

Burnett A. Nitric oxide control of lower genitourinary tract functions: A review. *Urology*. 1995;45(6):1071–83.

Creager MA, et al. L-arginine improves endothelium-dependent vasodilation in hypercholesterolemic humans. *J Clin Invest.* 1992;90(4):1248–53.

Garban H, et al. Effect of aging on nitric oxide-mediated penile erection in rats. *Am J Physiol.* 1995;268(1).

Ito T, et al. The effects of Arginmax, a natural dietary supplement for enhancement of male sexual function. *Hawaii Med J.* 1998;57:21–24.

Jung HC, et al. Role of nitric oxide in penile erection. *Yonsei Med J.* 1997;38(5):261–69.

Khedun SM, et al. Zinc, hydrochlorothiazide and sexual dysfunction. *Cent Afr J Med*. 1995;41(10):312–15.

Mohan H, et al. Inter-relationship of zinc levels in serum and semen in oligospermic infertile patients and fetile males. *Indian J Pathol Microbiol.* 1997;40(4):451–55.

Robinson K, et al. Low circulating folate and vitamin B6 concentrations: Risk factors for stroke, peripheral vascular disease, and coronary artery disease. *Circulation*. 1998;97(5):437–43.

Schaefer A, et al. L-arginine, a familiar compound . . . with a promising future. Semaine des Hopitaux. 1999;75(33–34):1255–64.

Ingredients / Research / References / FAQ's

To Main Page for pricing and ordering

Ingredient Glossary:

Both male and female LoveRx™ contain the following:

L-arginine is the building block for nitric oxide, a crucial substance that increases blood flow to the genitals by relaxing smooth muscle and expanding blood vessels. In 1998 the Nobel Prize for physiology was given for the discovery of the relationship between L-arginine and nitric oxide.*

Korean ginseng has been used for thousands of years in Asia to enhance sexual function by improving circulation and neurological processes.*

Ginkgo biloba, the oldest living plant on earth, improves capillary microcirculation in the genitals and elsewhere.*

Tribulus terrestris, also known as puncture vine, helps increase testosterone, which triggers both male and female sexual appetite and arousal.*

Ashwaganda, an herb widely used in India as a sexual tonic, is sometimes called Indian ginseng because it offers similar energy-promoting benefits and helps combat stress and fatigue.*

B vitamins contribute to energy metabolism in several important ways. Folic acid, B12, and B6 are necessary to keep blood vessels healthy.*

Zinc is a key mineral found in the human reproductive system. Studies have linked reduced zinc levels with sexual dysfunction.*

Enrich Activator Blend™ contains ginger, BioPerine®, and capsicum to help ensure maximum absorption.*

In addition to the above, LoveRx™ for Men contains the following:

Muira puama, also known as potency wood and raiz del macho (root of the male), has been used for

Maca root, also known as Amazon ginseng, has been used by native Peruvians as an aphrodisiac and to increase energy, vitality, stamina, and endurance.*

Barrenwort (also known as horny goat weed) improves sexual desire, sexual satisfaction, and the ability to achieve and maintain an erection. It is reputed to stimulate sperm production and semen secretion.*

Velvet bean (also known as mucuna pruriens) is used as an aphrodisiac in India's Ayurveda medicine tradition.*

Selenium is a mineral involved in reproductive function and plays a role in oxygen metabolism. It also supports antioxidant and immune defenses.*

In addition to the above, LoveRx™ for Women contains the following:

Damiana stimulates the senses, calms anxiety, and relaxes the mind. It promotes euphoria and helps alleviate sexual inhibition caused by stress or emotional troubles.*

Dong quai helps reduce symptoms of premenstrual syndrome, treat cramps and pain during menstruation, and ease menopausal symptoms such as hot flashes and night sweats.*

Passionflower offers relaxing and anti-anxiety effects as well as antispasmodic and vasodilator properties. It helps alleviate premenstrual tension and vaginal discharges.*

Calcium supports the muscle contractions and nerve transmissions necessary to sexual pleasure.*

Iron supports energy metabolism and helps combat fatigue.*

 $m{Rx}$ This ingredient is exclusive to Unicity Network's LoveRx formula.





Bodybuilding, Supplements, and Reviews

Bodybulding: Protomonés FallBuriers Exercise Bodybulding& BB4WPeriodic Bodybulding&U SupplementReviews Info&reviews &Welphitloss Equipment Filmess (E.zina Forums

Bodybuiding Supplements Home

Prohomenes Information

Prohormones Guide Part 1
Prohormones Guide Part 2
Prohormones & Andro
Androsienedione Vs Androdiol
Andro Stack 850 Review
Androstenedione Research
Andro Side Effects
Andro FAQ
DHEA Supplement Information
DHEA Side Effects & Benefits
Ergopharm 1 AD Prohormone
Ergopharm 1 AD Side Effects
Biotest Tribex 500 Review
Horny Goat Weed Review
Tribulus Terrestris Facts & Info
Tribulus Side Effects & Stack
Tongkat All

Protein Supplements

Whey protein supplements Whey protein isolate & conc. Whey protein side effects Whey protein powder Guide Protein Bars Review Guide Protein Bars Review Guide Best Protein Bars Compared Designer Protein Review Prolab N-Large 2 Review Methoxy Pro Review Nitro Tech Review Soy Protein Supplements Soy Protein Isolate Info Soy Protein Benefits

Meal Replacement Review

Meal Replacement Guide EAS Myoplex MRP Review Ilsopure MRP Review Lean Body MRP Review Met Rx MRP Review

Creatine Monohydrate

Creatine wonohydrate info.
Creatine benefits
Creatine side effects
Creatine use and cycling
Creatine serum vs. powder
Creatine FAO

Supplements & Reviews

Bodybuiding Supplements 1
Bodybuiding Supplements 2
Animal Stak Review
Dymetadrine Xtreme Review
GABA Supplement Information
L-Glutamine information
Glutamine Side Effects
Ribose Supplements Review
Ribose & Creatine Stack
ZMA Z Mass PM. Cyclo Zmass
Coral Calcium Supplement

Muscletech Hydroxyeu

Hydroxycut Review
Hydroxycut Information
Hydroxycut Side Effects
Hydroxycut FAQ

Xenediho - Gylodyno :

Xenadrine information Xenadrine RFA 1 Xenadrine EFX Xenadrine side effects Xenadrine ephedrine free Thermogenics fat loss

Tribulus Terrestris Facts, Information, and Research

Tribulus Terresteris - The Miracle Herb?

Okay, I'd be kidding you if I told you that Tribulus Terrestris is a miracle herb. ;-) But Tribulus Terrestris isn't far off from being a 'super' herb. Let's see why. First, Tribulus Terrestris is a herb used for its medicinal effects around the world. Tribulus is extracted from the plant, and used as a natural nutritional supplement. It has been used for centuries by the Chinese to calm the liver, treat headaches, dizziness, and premature ejaculation.

So what the heck does Tribulus Terresteris have to do with bodybuilding and fitness? Read on...

Quick Tribulus Terrestris Facts

Here are some quick Tribulus facts:

- Tribulus Terresteris is ecologically pure
- Tribulus is a natural aid to help impotence, low libido, and male infertility
- Clinically proven effect vie in enhancing energy and vitality
- Helps build muscle and strength
- Tribulus Terrestris is safe to use and it's not a hormone

Tribulus Terrestris - Testosterone Enhancer

In bodybuilding, Tribulus is used for its testosterone boosting properties more than anything else. Studies have shown over 50% increase in testosterone levels when taking Tribulus Terresteris. We all know testosterone helps build muscle and strength, that's why some pro athletes use steroids and other prohormones to enhance performance.

You'll be happy to hear that Tribulus Terrestris is NOT a hormone! It works completely different from Andro and DHEA. Tribulus increases testosterone through increasing luteninizing hormone (LH) in your body. LH tells your body to produce testosterone. Why is this beneficial? Simply because Tribulus is not a hormone supplement, it merely works within the body's natural limits helping you achieve muscle and strength.

Tribulus Research and Studies

Much tribulus research and studies have been conducted, and all have shown positive benefits of supplementing Tribulus Terrestris, and almost no adverse effects. Here are some findings on Tribulus supplementation:

- A study done with healthy individuals taking 750mg of tribulus per day showed a 72% LH increase, and a 41% increase in testosterone.
- In a study conducted with 20 males and females,

Weight!Loss & Fat Burners

Fat Burners Review guide
Stacker 2 Fat Burner Review
Stacker 3 Fat Burner Review
Chitosan - Doesn't work
Pvruvate Supplement Review
GHR15 Anti Aging Review
GHR15 Supplement Review (2)
GHR Side Effects
NutraSport Cutting Gel Review

80% had increased libido and sexual performance, and 95% of the females reported no PMS symptoms.

 A study conducted with 200 males suffering from impotence showed increase in LH and testosterone levels after supplementing Tribulus. The study also found a increase in sperm production.

>> Click here to see a full list of Tribulus Products

You should also take a read at our Tribulus stack and side effects article.

Back to Bodybuilding Supplement Reviews Home Page

If you found this article informative and helpful please forward it to someone you know who can benefit from this information.

© 2001 Bodybuilding For You. All rights reserved worldwide.

1477 Willingdon Avenue, Burnaby, British Columbia, Canada

More Information Ingredients / Research / References / FAQ's Click LoveRXTM references

These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cursor prevent any disease, including sexual dysfunction or impotence.

Try our LoveRXTM today and see the results for yourself risk-free!

FREQUENTLY ASKED QUESTIONS

Q What if a woman is on hormone therapy **Q** Since LoveRxTM contains vitamins and or some other type of medication?

A If a woman is taking any medication, she needs to consult with her health care practitioner before taking LoveRxTM.

Q How long will it take before a person knows if the product will work for him or her?

A The product works differently for each individual, so people will want to give it time. Some may notice a difference right away, but on average the product will need to be consumed for four weeks or more to feel a difference.*

minerals, do people still need to take a vitamin/mineral supplement?

A To ensure you are getting all the vitamins and minerals you need, we recommend people take LoveRxTM along with the Enrich Core PackTM *

Q Why does the formulation contain L-arginine?

A L-arginine is an amino acid that aids the body in producing nitric oxide. Nitric oxide aids circulation to the reproductive organs by relaxing the smooth muscles and expanding blood vessels.*

LoveRx for	Lov		
Serving Size 4 Capsules		Serving Size 4 C	
Servings per Container 26		Servings per Cont	
Amount Per Serving	% Daily Value	Amount Per Servi	
Vitamin A (as 50% Betatene® [98% from beta-carotene], 50% as palmitate)	2500 IU 50%	Vitamin A (as 509 beta-carotene), 50	

LoveRx for				
Women				
Serving Size 4 Capsules				
Servings per Container 26				
Amount Per Serving	% Daily Value			
Vitamin A (as 50% Betatene® [98% from beta-carotene], 50% as palmitate)	2500 IU 50%			

Back

Review of selective scientific literature pertaining to ArginMax ingredients.

It is well established that nitric oxide (NO) is the key mediator for the up-regulation of cGMP which in turn mediates erectile function.1 **L-arginine** is the precursor of nitric oxide. The conversion of L-arginine to nitric oxide is mediated by nitric oxide synthase (NOS). Increasing tissue L-arginine levels results in the increase of NO and cGMP.2, 3 Supplementation with L-arginine has been shown to be play a role in restoring endothelial-derived nitric oxide production in many disorders in which endothelial-derived nitric oxide is reduced or impaired, including impairment resulting from diabetes and hypercholesterolemia.4,5,6,7,8 Studies also point to the role of L-arginine as not only a substrate for NOS in the up-regulation of cGMP, but also acts to reduce cell-mediated breakdown of nitric oxide.9

The efficacy of **Korean ginseng** (Panax Ginseng) in treating erectile dysfunction was recently demonstrated in a randomized controlled clinical trial involving a total of 90 patients studied over 3 months, 30 each receiving placebo, trazadone, or ginseng.10 Ginseng was the most efficacious treatment with improvements measured in erectile parameters such as girth, libido, and patient satisfaction. Frequency of intercourse, ejaculations, and erections did not differ among groups. In a controlled study with 66 patients, Panax ginseng was demonstrated to increase spermatozoa count and motility in 66 patients with fertility problems. 11 Ginsenosides (the primary active component of ginseng) have been shown to increase NO production in endothelial cells.12,13.14 One observed mechanism for increase in NO production is up-regulation of NOS activity by ginsenosides.14 The effects of ginsenosides on NO production has implications for improved sexual function, and may partly account for the aphrodisiac effect of Panax ginseng used in traditional Chinese medicine.

Ginkgo biloba is well established to facilitate microvascular circulation 15 which may physiologically lead to improvement of erections. In addition to ginkgo biloba's ability to facilitate microvascular circulation, potentially benefiting erectile function through enhanced vascular blood flow, there is evidence that ginkgo biloba extract may also directly elucidate smooth muscle relaxation in the corpus cavernosum, likely via effects on the nitric oxide pathway.

16,17 **B-complex vitamins** are important to the activity of hundreds of enzymes and in energy metabolism. Low levels of circulating folate and vitamin B6 confer an increased risk of peripheral vascular disease, 18 leading to potential reduction of erectile function.

Zinc is a fundamental mineral in the maintenance of human reproductive function. Low levels of serum zinc has been shown to cause sexual dysfunction and associated with infertility in males.19,20 Zinc deficiency during growth periods result in lack of gonadal development in males.21,22 Zinc deficiency leads to depletion of testosterone and inhibition of spermatogenesis.23 Zinc is also thought to help extend the functional life span of ejaculated spermatozoa.23

Selenium has a key influence on spermatozoa numbers and motility. It is an essential element in normal spermatozoa development. Selenium is incorporated in the sperm mitochondria capsule and may thus affect the behavior and function of the spermazoon.24 It has been shown that dietary supplementation with selenium-vitamin E statistically significantly increases sperm motility, percent live, and percent normal spermatozoa.25 It is well established that one of the key roles of seminal plasma is the protection of spermatozoa against reactive oxygen species.26 In a study of 101 patients seeking consultation for infertility and 15 fertile donors, a strong inverse relationship was found between total reactive antioxidant potential in seminal plasma and infertility.26

A pilot clinical study was undertaken to preliminarily evaluate the role of a combinatorial nutritional product which incorporates the previously discussed key ingredients for optimization of nitric oxide production and enhancement of sexual function. In the pilot study, 32,33,34,35 twenty-five study participants were consecutively enrolled through a urology clinic with participation open to all individuals diagnosed with mild to moderate erectile dysfunction of varying etiology. The study instrument was the

International Index of Erectile Function (IIEF). Following the completion of the study, 88.9% of the subjects experienced improvement in ability to maintain an erection during intercourse, and 75.0% experienced improvement in satisfaction with their overall sex life.32,33,34,35

The results of the pilot clinical study indicate that an expansion of the study to a larger population with a double-blind placebo-controlled protocol is the logical next step in exploring the sexual function benefits of ArginMax, and the basis for the present study.36,37

Bibliography

- 1.Burnett AL. Nitric oxide control of lower genitourinary tract functions: a review. Urology 1995 Jun;45(6):1071-1083.
- 2.Jung HC, Mun KH, Park TC, Lee YC, Park JM, Huh K, Seong DH, Suh JK.Role of nitric oxide in penile erection. Yonsei Med J 1997 Oct;38(5):261-269.
- 3. Kimura K, Takahashi M, Naroda T, Iriguchi H, Miyamoto T, Kawanishi Y, Numata A, Yuasa M, Tamura M, Kagawa S. The relaxation of human corpus cavernosum caused by nitric oxide. Nippon Hinyokika Gakkai Zasshi 1993 Sep;84(9):1660-1664.
- 4.Creager MA, Gallagher SJ, Girerd XJ, Coleman SM, Dzau VJ, Cooke JP.L-arginine improves endothelium-dependent vasodilation in hypercholesterolemic humans. J Clin Invest 1992 Oct;90(4):1248-1253.
- 5.Pieper GM, Dondlinger LA. Plasma and vascular tissue arginine are decreased in diabetes: acute arginine supplementation restores endothelium-dependent relaxation by augmenting cGMP production. J Pharmacol Exp Ther 1997 Nov;283(2):684-691.
- 6. Wascher TC, Graier WF, Dittrich P, Hussain MA, Bahadori B, Wallner S, Toplak H. Effects of low-dose L-arginine on insulin-mediated vasodilatation and insulin sensitivity. Eur J Clin Invest 1997 Aug;27(8):690-695.
- 7.Pieper GM, Siebeneich W, Dondlinger LA. Short-term oral administration of L-arginine reverses defective endothelium-dependent relaxation and cGMP generation in diabetes. Eur J Pharmacol 1996 Dec 19;317(2-3):317-320.
- 8.Moody JA, Vernet D, Laidlaw S, Rajfer J, Gonzalez-Cadavid NF. Effects of long-term oral administration of L-arginine on the rat erectile response. J Urol 1997 Sep;158(3 Pt 1):942-947.
- 9. Wascher TC, Posch K, Wallner S, Hermetter A, Kostner GM, Graier WF. Vascular effects of L-arginine: anything beyond a substrate for the NO-synthase? Biochem Biophys Res Commun 1997 May 8;234(1):35-38.
- 10. Choi HK, Seong DH, Rha KH. Clinical efficacy of Korean red ginseng for erectile dysfunction. Int J Impot Res 1995 Sep;7(3):181-186.
- 11. Salvati G, Genovesi G, Marcellini L, Paolini P, De Nuccio I, Pepe M, Re M. Effects of Panax Ginseng C.A. Meyer saponins on male fertility. Panminerva Med 1996 Dec;38(4):249-254.
- 12. Chen X. Cardiovascular protection by ginsenosides and their nitric oxide releasing action. Clin Exp Pharmacol Physiol 1996 Aug;23(8):728-732.
- 13.Han SW, Kim H. Ginsenosides stimulate endogenous production of nitric oxide in rat kidney. Int J Biochem Cell Biol 1996 May;28(5):573-580.
- 14. Chen X, Lee TJ. Ginsenosides-induced nitric oxide-mediated relaxation of the rabbit corpus cavernosum. Br J Pharmacol 1995 May;115(1):15-18
- 15. Auguet M, Delaflotte S, Hellegouarch A, Clostre F. Pharmacological bases of the vascular impact of Ginkgo biloba extract. Presse Med 1986 Sep 25;15(31):1524-1528.

	Vitamin C (as l-ascorbic acid)			Vitamin C (as l-ascorbic acid)		
	Vitamin E (as d-alpha tocopheryl acetate)	30 mg	50%	Vitamin E (as d-alpha tocopheryl acetate)	30 mg	50%
	Thiamin (as thiamin mononitrate)	15 IU	50%	Thiamin (as thiamin mononitrate)	15 IU	50%
	Riboflavin (Vitamin B2)	.75 mg	1 11	Riboflavin (Vitamin B2)	.75 mg	
	Niacin	.85 mg	50%	Niacin	.85 mg	50%
	Vitamin B6 (as pyridoxine hydrochloride)	10 mg	50%	Vitamin B6 (as pyridoxine hydrochloride)	10 mg	50%
	Folate (as folic acid)	1 mg	50%	Folate (as folic acid)	1 mg	50%
	Vitamin B12 (as cyanocobalamin)	200 mcg	50%	Vitamin B12 (as cyanocobalamin)	200 mcg	50%
	Biotin	3 mcg	50%	Biotin	3 mcg	50%
	Pantothenic Acid (as calcium	150 mcg	50%	Pantothenic Acid (as calcium d-pantothenate)	150 mcg	50%
	d-pantothenate)	5 mg	50%	Calcium (as carbonate, citrate malate) 250 mg	5 mg	50%
	Zinc (as OptiZinc®)	7.5 mg	50%	25%	250 mg	25%
	Selenium (SelenoExcel™)	35 mcg	100%	Iron (as Ferrochel®) 3.9 mg 25%	3.9 mg	25%
	L-Arginine	1500 mg	*	Zinc (as OptiZinc®) 3.75 mg 25%	3.75 mg	25%
	Tribulus Terrestris Extract (fruit)	375 mg	*	L-Arginine 1250 mg †	1250 mg	*
	Ginkgo Biloba Extract (leaf) (standardized to 24% flavone glycosides, 6% terpene lactones)			Ginkgo Biloba Extract (leaf) (standardized to 24% flavone glycosides, 6% terpene lactones) 60 mg †		
	Enrich Proprietary Blend	60 mg 225 mg	*	Enrich Proprietory Blend 425 mg	60 mg 425 mg	*
\Rightarrow	Korean Ginseng Extract (root) (standardized to 30% ginsenosides)			Tribulus Terrestris Extract (fruit) †		
	American Ginseng Extract (root) (standardized to 5% ginsenosides)			Dong Quai Powder (root) † Korean Ginseng Extract (root) (standardized to	gua	
	Maca Extract (peruvian) (root)		*	30% ginsenosides) †		
i	Muira Puama Powder (root)	1		Damiana Powder (leaf) †		*
	Barrenwort Powder (aerial) (Epimedium grandiflorum)			Ashwagandha Powder (root) † Passionflower Powder (leaf) †		*
ĺ	Ashwagandha Powder (root)		*	Enrich Activator Blend™ 8.5 mg		*
	Velvet Bean Extract (seed)		*	Ginger (Root) †		
	Enrich Activator Blend™		*	Capsicum (Fruit) †		
	Ginger (Root)		*	Black Pepper (as Bioperine®) †	8.5 mg	*
	Capsicum (Fruit)		*		o.J mg	*
	Black Pepper (as Bioperine®)	8.5 mg	*	* Daily Value not established.		
	Daily Value not established.		*			·

To Main Page for pricing and ordering

Consumer Information about Viagra

Brand Name:	Viagra	
Active Ingredient(s):	sildenafil citrate	
Strength(s):	25mg, 50mg & 100mg	
Dosage Form(s):	Oral tablet	
Company Name:	Pfizer Inc.	
Availability:	Prescription only	
*Date Approved by FDA:	March 27, 1998	

^{*}Approval by FDA does not mean that the drug is available for consumers at this time. For availability and other information, you will need to contact your doctor or health care provider.

What is Viagra used for?

Viagra is used to treat impotence in men. Viagra increases the body's ability to achieve and maintain an erection during sexual stimulation. Viagra does not protect you from getting sexually transmitted diseases, including HIV.

Who should <u>not</u> take Viagra?

Men who are currently using medicines that contain nitrates, such as nitroglycerin should not use Viagra because taken together they can lower the blood pressure too much. Viagra should not be used by women or children.

General Precautions with Viagra:

- You should have a complete medical history and exam to determine the cause of your impotence before taking Viagra.
- Men who have medical conditions that may cause a sustained erection such as sickle cell anemia, leukemia or multiple myeloma or who have an abnormally shaped penis may not be able to take Viagra.
- There are several medications that are known to interact with Viagra, so be sure to tell your doctor about all medications you are taking including those you can get without a prescription.
- Viagra has not been studied with other treatments for impotence, so use in combination with other treatments is not recommended.

How should I take Viagra? Your healthcare provider may prescribe Viagra as one tablet once a day, about 1 hour before sexual activity. However, Viagra may be taken anywhere from 30 minutes to 4 hours before sexual activity.

What are some possible side effects of Viagra? (This list is <u>NOT</u> a complete list of side effects reported with Viagra. Your healthcare provider can discuss with you a more complete list of side effects.)

Viagra is generally well tolerated. If any side effects are experienced, they are usually mild and temporary. The following is a listing of the most common side effects:

Headache

Tribulus Terrestris

Tribulus Terrestris with LoveRXTM

Natural Tribulus Terrestris to enhance love making

Tribulus terrestris, also known as puncture vine, helps increase testosterone, which triggers both male and female sexual appetite and arousal. Studies have shown a better than 50% increase in testosterone levels when taking the Tribulus Terrestris herb. Its pathway for increasing testosterone differs from both Androstenedione 100 and DHEA. Tribulus exerts its testosterone elevating effect through the increase in luteinizing hormone (LH). LH is responsible for "telling" your body to produce testosterone.

Unicity's sensational product LoveRXTM contains tribulus terrestris in both male and female formulas.

100% MONEY-BACK GUARANTEE from the largest nutrition company in the world (see ordering section).

*** Order today risk-free and begin achieving your sexual health goals ***

Clinical Studies on Tribulus Terrestris







Search this Site:

Choose a Topic

▼ Go

FREE instant translat of text and webpage



English to Spanish



Muira Puama (Ptychopetalum)

Family: Olacaceae Species: olacoides

Common Names: Muira puama, marapuama, marapama, potency

wood, potenzholz

Parts Used: Bark, roots

Medicinal Properties: Antidysenteric, antirheumatic, antistress, aperitif, aphrodisiac, central nervous system stimulant, nervine,

neurasthenic, tonic

Muira Puama is a bush with small white flowers that is native to the Brazilian Amazon and other parts of northern Brazil. Tribes in Brazil have used the roots and bark for years treating sexual debility and impotence, neuromuscular problems, rheumatism, grippe, cardiac asthenia, and gastrointestinal asthenia. Muira Puama has a long history in herbal medicine as an aphrodisiac, a tonic for the nervous system and an antirheumatic.

Early research discovered that the root and bark were rich in fatty acids, essential oils, plant sterols, and a new alkaloid, named muirapuamine. Chemically, muira puama contains 0.05% muirapuamine, 0.4% fat, 0.5% alkaloids, 0.6% phlobaphene, 0.6% alpha-resinic acid, 0.7% beta-resinic acid, 0.5% of a mixture of esters including behenic acid, lupeol and beta-sitosterol, as well as tannin, volatile oils, and fatty acids. Muira puama is still used around the world as a herbal medicine.

While approdisiacs remedies have come and gone muria puama has risen to the top of products and may well provide the most therapeutic approach for erectile dysfunctions. However to achieve the beneficial effects of the plant, proper preparation must be employed. The active constituents thought to be responsible for muira puama's effect are not soluble in water, so taking bark or root powder in a capsule or tablet will not be effective.

Muria Puama Products

Item #AD00011
(See Sale Price...)
Prices subject to change without notice.
Quality and satisfaction are guaranteed.
I'm PayPal Verified



Company Information

Home | Contact Us | Privacy Policy | Product Guarantee & Shipping Info Copyright Policy | Comments/Questions

* These statements have not been evaluated by the Food and Drug Administration. These products are not intended to diagnose, treat, cure or prevent any disease.

muria puama herbs bulk | muria puama | camu camu | acerola | artichoke | cats claw | catuba yerba mate | espinheira santa | guarana | pau d'arco | pedra hume caa suma | buriti | brazil nut | cupuaçu

Copyright ©2003 Amazon Discovery